



MART VAN DIJK BOOMKWEKERIJEN BV

Mart van Dijk Boomkwekerijen BV.

Mgr.Aertsstraat 37

5866 BG Swolgen

Die Nederlande

Tel: +31 (0) 478-691281

info@martvandijk.nl

| | |
|---------------|-----------|
| VORRAT | 21-4-2026 |
|---------------|-----------|

| Anzahl | Name | Größe |
|--------|--------------------------------|---------------------|
| 12 | Abelia 'Edward Goucher' | 125-150 Co50 |
| 18 | Abelia grandiflora | 60-80 Co20 3 Stab |
| 24 | Abelia grandiflora | 80-100 Co20 3 Stab |
| 105 | Abelia grandiflora | 100-125 Co20 3 Stab |
| 16 | Abelia grandiflora | 175-200 Co50 |
| 23 | Abeliophyllum distichum | 125-150 Co20 1 Stab |
| 43 | Abeliophyllum distichum | 150-175 Co20 1 Stab |
| 53 | Abeliophyllum distichum | 175-200 Co20 1 Stab |
| 8 | Acca sellowiana | 125-150 Co20 |
| 450 | Acer campestre | 40-60 Str. |
| 239 | Acer campestre | 50-80 2 Tr. |
| 154 | Acer campestre | 60-100 Str. |
| 340 | Acer campestre | 60-100 Str. |
| 9 | Acer campestre | 100-125 Co20 |
| 143 | Acer campestre | 100-150 Str. |
| 9 | Acer freemanii | 350-400 Co130 |
| 7 | Acer freemanii Autumn Blaze | 450-500 Co180 |
| 14 | Acer japonicum 'Aconitifolium' | 175-200 Co130 |
| 8 | Acer pal. 'Ariadne' | 125-150 Co50 |
| 6 | Acer pal. 'Ariadne' | 200-250 Co130 |
| 8 | Acer pal. 'Asahi-zuru' | 100-125 Co20 |
| 7 | Acer pal. 'Asahi-zuru' | 125-150 Co20 |
| 19 | Acer pal. 'Atrolineare' | 100-125 Co20 |
| 8 | Acer pal. 'Atrolineare' | 125-150 Co20 |
| 9 | Acer pal. 'Atrolineare' | 175-200 Co20 |
| 7 | Acer pal. 'Atrolineare' | 175-200 Co35 |
| 11 | Acer pal. 'Atropurpureum' | 100-125 Co20 |
| 13 | Acer pal. 'Bloodgood' | 100-125 Co20 |
| 7 | Acer pal. 'Butterfly' | 250-300 Co180 |

| | | |
|-----|------------------------------------|--------------------------------|
| 8 | Acer pal. 'Deshojo' | 250-300 Co180 |
| 11 | Acer pal. 'Dissectum Flavescens' | 200-250 Co180 |
| 7 | Acer pal. 'Emerald Lace' | 100-125 Co20 |
| 7 | Acer pal. 'Fior d' Arancio' | 100-125 Co20 |
| 16 | Acer pal. 'Firecracker' | 100-125 Co20 |
| 14 | Acer pal. 'Firecracker' | 125-150 Co20 |
| 6 | Acer pal. 'Iyoshi' | 100-125 Co20 |
| 19 | Acer pal. 'Jerre Schwartz' | 100-125 Co20 |
| 17 | Acer pal. 'Katsura' | 100-125 Co20 |
| 10 | Acer pal. 'Katsura' | 125-150 Co20 |
| 7 | Acer pal. 'Kinran' | 175-200 Co80 |
| 11 | Acer pal. 'Kotohime' | 80-100 Co50 |
| 10 | Acer pal. 'Mirte' | 200-250 Co80 |
| 24 | Acer pal. 'Nicholsonii' | 100-125 Co20 |
| 6 | Acer pal. 'Nicholsonii' | 175-200 Co80 |
| 6 | Acer pal. 'Nicholsonii' | 175-200 Co130 |
| 7 | Acer pal. 'Orange Dream' | 100-125 Co20 |
| 6 | Acer pal. 'Ornatum' | 125-150 Co80 Breit |
| 25 | Acer pal. 'Osakazuki' | 100-125 Co20 |
| 9 | Acer pal. 'Osakazuki' | 125-150 Co20 |
| 1 | Acer pal. 'Osakazuki' | 200-250 Co20 |
| 8 | Acer pal. 'Red Emperor' | 100-125 Co20 |
| 19 | Acer pal. 'Red Emperor' | 125-150 Co20 |
| 26 | Acer pal. 'Sangokaku' | 125-150 Co20 |
| 7 | Acer pal. 'Scolopendriifolium' | 175-200 Co50 |
| 7 | Acer pal. 'Scolopendriifolium' | 175-200 Co80 |
| 9 | Acer pal. 'Scolopendriifolium' | 200-250 Co80 |
| 18 | Acer pal. 'Scolopendriifolium' | 250-300 Co180 |
| 7 | Acer pal. 'Scolopendriifolium' | 300-350 Co180 |
| 76 | Acer pal. 'Seiryu' | 100-125 Co20 |
| 7 | Acer pal. 'Seiryu' | 175-200 Co35 |
| 8 | Acer pal. 'Shaina' | 100-125 Co20 |
| 10 | Acer pal. 'Shirazz' | 125-150 Co20 |
| 12 | Acer pal. 'Shishigashira' | 100-125 Co20 |
| 8 | Acer pal. 'Silhouette' | 200-250 Co80 |
| 10 | Acer pal. 'Skeeter's Broom' | 100-125 Co20 |
| 137 | Acer pal. 'Skeeter's Broom' | 125-150 Co20 |
| 7 | Acer pal. 'Sumi-nagashi' | 100-125 Co20 |
| 8 | Acer pal. 'Sumi-nagashi' | 125-150 Co20 |
| 26 | Acer pal. 'Summer Gold' | 100-125 Co20 |
| 100 | Acer pal. 'Summer Gold' | 125-150 Co20 |
| 42 | Acer pal. 'Summer Gold' | 150-175 Co20 |
| 9 | Acer pal. 'Summer Gold' | 200-250 Co80 |
| 1 | Acer pal. 'Tamukeyama' | 100-125 Co35 breit (Stamm 100) |
| 7 | Acer pal. 'Tamukeyama' | 175-200 Co180 |
| 21 | Acer pal. 'Trompenburg' | 100-125 Co20 |
| 39 | Acer pal. 'Trompenburg' | 125-150 Co20 |
| 15 | Acer pal. 'Trompenburg' | 150-175 Co20 |
| 11 | Acer pal. 'Twombly's Red Sentinel' | 100-125 Co20 |
| 9 | Acer pal. 'Twombly's Red Sentinel' | 125-150 Co20 |

| | | |
|-----|-----------------------------|----------------------------------|
| 7 | Acer pal. 'Ueno-yama' | 175-200 Co50 |
| 6 | Acer pal. 'Ueno-yama' | 200-250 Co110 |
| 25 | Acer pal. 'Ueno-yama' | 300-350 Co180 |
| 15 | Acer pal. 'Ukigumo' | 175-200 Co20 |
| 13 | Acer pal. 'Villa Taranto' | 100-125 Co20 |
| 8 | Acer palmatum | 125-150 Co20 |
| 5 | Acer rubrum | 175-200 Co20 |
| 21 | Acer rubrum | 200-250 Co20 |
| 7 | Acer rubrum 'Scanlon' | 350-400 Co130 |
| 27 | Akebia quinata | 125-150 Co20 3 Stab |
| 30 | Akebia quinata | 150-175 Co20 3 Stab |
| 9 | Akebia quinata | 175-200 Co20 3 Stab |
| 15 | Akebia quinata 'Cream Form' | 200-250 Co20 3 Stab |
| 7 | Alnus cordata | 250-300 Co50 |
| 550 | Alnus glutinosa | 100-150 4 Tr. |
| 87 | Alnus glutinosa | 250-300 Solitaer |
| 5 | Alnus glutinosa | 300-350 Solitaer |
| 12 | Alnus glutinosa | 400-450 Solitaer |
| 55 | Amelanchier lamarckii | 100-125 Co20 |
| 500 | Amelanchier lamarckii | 125-150 Co20 |
| 16 | Amelanchier lamarckii | 150-175 Solitaer |
| 50 | Amelanchier lamarckii | 150-175 Co20 |
| 6 | Amelanchier lamarckii | 150-175 Co70 |
| 48 | Amelanchier lamarckii | 175-200 Solitaer |
| 1 | Amelanchier lamarckii | 175-200 Co20 |
| 36 | Amelanchier lamarckii | 175-200 Co70 |
| 29 | Amelanchier lamarckii | 200-250 Solitaer |
| 9 | Amelanchier lamarckii | 200-250 Co70 |
| 17 | Amelanchier lamarckii | 200-250 Co350 |
| 36 | Amelanchier lamarckii | 250-300 mDrB. geflochtener Stamm |
| 2 | Amelanchier lamarckii | 250-300 Co350 |
| 1 | Amelanchier lamarckii | 250-300 Co500 Schirm |
| 3 | Amelanchier rotundifolia | 30-40 4 Tr. |
| 165 | Amelanchier rotundifolia | 40-60 4 Tr. |
| 490 | Amelanchier rotundifolia | 60-100 4 Tr. |
| 2 | Amelanchier rotundifolia | 60-80 Co20 |
| 244 | Amelanchier rotundifolia | 60-100 4 Tr. |
| 7 | Amelanchier rotundifolia | 80-100 Co20 |
| 4 | Amelanchier rotundifolia | 100-125 Co20 |
| 175 | Amelanchier spicata | 30-40 Str. |
| 93 | Amelanchier spicata | 40-60 Str. |
| 410 | Amelanchier spicata | 40-60 4 Tr. |
| 864 | Amelanchier spicata | 60-100 4 Tr. |
| 772 | Amelanchier spicata | 60-100 4 Tr. |
| 61 | Amelanchier spicata | 80-100 Co20 |
| 47 | Amelanchier spicata | 100-125 Co20 |
| 150 | Amelanchier spicata | 125-150 Co20 |
| 1 | Amelanchier spicata | 150-175 Co20 |
| 3 | Amelanchier spicata | 150-175 Co70 |
| 30 | Amorpha fruticosa | 60-80 Co4 |

| | | |
|------|------------------------------------|----------------------|
| 8 | Amorpha fruticosa | 80-100 Co4 |
| 7 | Arbutus unedo | 125-150 Co20 |
| 674 | Aronia melanocarpa | 30-40 4 Tr. |
| 595 | Aronia melanocarpa | 40-60 4 Tr. |
| 88 | Aronia melanocarpa | 60-100 Str. |
| 50 | Aronia melanocarpa | 60-100 4 Tr. |
| 7 | Aronia melanocarpa | 60-80 Co12 |
| 19 | Aronia melanocarpa | 80-100 Co12 |
| 47 | Aronia melanocarpa | 100-125 Co12 |
| 62 | Aronia prunifolia 'Viking' | 150-175 Co20 |
| 25 | Aucuba jap. 'Crotonifolia' | 60-80 Co20 |
| 11 | Baccharis genistelloides | 80-100 Co20 |
| 178 | Berberis julianae | 30-40 Co4 |
| 2251 | Berberis julianae | 30-40 mB. |
| 52 | Berberis julianae | 40-50 Co4 |
| 5 | Berberis julianae | 40-60 Co12 |
| 503 | Berberis julianae | 40-60 mB. |
| 31 | Berberis ott. 'Auricoma' | 100-125 Co20 |
| 9 | Berberis ott. 'Auricoma' | 125-150 Co20 |
| 9 | Berberis ott. 'Superba' | 80-100 Co20 |
| 510 | Berberis thunb. 'Atropurpurea' | 30-40 Str. |
| 577 | Berberis thunb. 'Atropurpurea' | 40-60 4 Tr. |
| 437 | Berberis thunb. 'Atropurpurea' | 60-100 4 Tr. |
| 2 | Berberis thunb. 'Atropurpurea' | 100-125 Co12 |
| 10 | Berberis thunb. 'Rose Glow' | 80-100 Co20 |
| 17 | Berberis thunb. 'Silver Pillar' | 80-100 Co20 |
| 93 | Berberis thunbergii | 40-60 4 Tr. |
| 11 | Betula nigra 'Shiloh Splash' | 150-175 Co20 |
| 15 | Betula nigra 'Shiloh Splash' | 250-300 Co50 Heister |
| 6 | Betula nigra 'Shiloh Splash' | 300-350 Co50 Heister |
| 24 | Betula p. 'Laciniata' | 175-200 Co20 |
| 8 | Betula p. 'Spider Alley' | 125-150 Co20 |
| 2 | Betula pendula | 200-250 Solitaer |
| 55 | Betula pendula | 200-250 Co20 2 Tr. |
| 8 | Betula pendula | 250-300 Solitaer |
| 4 | Betula pendula | 400-450 Solitaer |
| 13 | Betula utilis 'Doorenbos' | 125-150 Solitaer |
| 109 | Betula utilis 'Doorenbos' | 150-175 Solitaer |
| 72 | Betula utilis 'Doorenbos' | 175-200 Solitaer |
| 15 | Betula utilis 'Doorenbos' | 175-200 Co20 |
| 25 | Betula utilis 'Doorenbos' | 200-250 Solitaer |
| 80 | Betula utilis 'Doorenbos' | 200-250 Co20 |
| 20 | Betula utilis 'Doorenbos' | 300-350 Co110 |
| 31 | Betula utilis 'Doorenbos' | 350-400 Co110 |
| 6 | Broussonetia papyrifera | 200-250 Co50 |
| 12 | Broussonetia papyrifera | 200-250 Co80 |
| 1 | Buxus micr. 'Faulkner' | 50-60 Co20 Kugel |
| 6 | Callicarpa bod. Magical Snow Queen | 80-100 Co80 |
| 6 | Calycanthus floridus | 100-125 Co20 |
| 33 | Calycanthus 'Venus' | 80-100 Co20 |

| | | |
|------|-------------------------------|---------------------------------------|
| 47 | Camellia 'Black Lace' | 100-125 Co20 |
| 7 | Camellia 'Black Lace' | 125-150 Co20 |
| 20 | Camellia j. 'Moshe Dayan' | 100-125 Co20 |
| 44 | Campsis grandiflora | 200-250 Co20 3 Stab |
| 38 | Campsis rad. 'Stromboli' | 200-250 Co20 3 Stab |
| 15 | Campsis t. 'Mme Galen' | 200-250 Co20 3 Stab |
| 8 | Carpinus bet. 'Monument' | 80-100 Co20 |
| 487 | Carpinus betulus | 60-80 Co4 Gestäbt |
| 264 | Carpinus betulus | 80-100 Heister |
| 1997 | Carpinus betulus | 80-100 Co4 Gestäbt |
| 190 | Carpinus betulus | 100-125 Heister |
| 1218 | Carpinus betulus | 100-125 Co4 Gestäbt |
| 110 | Carpinus betulus | 125-150 Heister |
| 4355 | Carpinus betulus | 125-150 Co4 Gestäbt |
| 1184 | Carpinus betulus | 150-175 Heister |
| 160 | Carpinus betulus | 150-175 Co4 Gestäbt |
| 1500 | Carpinus betulus | 175-200 Co12 |
| 121 | Carpinus betulus | 200x100x30 Fertig Hecke |
| 3000 | Carpinus betulus | 200-225 Co12 |
| 2 | Carpinus betulus | 200-250 Solitaer |
| 6 | Carpinus betulus | 225x90x70 Hecke Co110 |
| 34 | Carpinus betulus | 225x90x70 Hecke Co160 |
| 1 | Carpinus betulus | 300-350 Solitaer |
| 6 | Carpinus betulus | 150 cm Stamm Würfel auf Mehrst. Co110 |
| 11 | Catalpa bignonioides 'Aurea' | 200-250 Co130 |
| 10 | Catalpa bignonioides 'Aurea' | 250-300 Co130 |
| 8 | Catalpa erubescens 'Purpurea' | 350-400 Co130 |
| 44 | Cercis can. Ace of Spades | 100-125 Co20 |
| 20 | Cercis can. Ace of Spades | 175-200 Co20 |
| 12 | Cercis can. Ace of Spades | 200-250 Co80 |
| 14 | Cercis can. 'Alley Cat' | 175-200 Co20 |
| 15 | Cercis can. 'Forest Pansy' | 100-125 Co20 |
| 94 | Cercis can. 'Forest Pansy' | 125-150 Co20 |
| 54 | Cercis can. 'Forest Pansy' | 150-175 Co20 |
| 43 | Cercis can. 'Forest Pansy' | 175-200 Co20 |
| 18 | Cercis can. 'Forest Pansy' | 175-200 Co80 |
| 25 | Cercis can. 'Forest Pansy' | 200-250 Co80 |
| 30 | Cercis can. 'Forest Pansy' | 250-300 Co50 |
| 20 | Cercis can. 'Forest Pansy' | 250-300 Co50 3 Stamm |
| 61 | Cercis can. 'Forest Pansy' | 250-300 Co80 |
| 8 | Cercis can. 'Merlot' | 125-150 Co20 |
| 31 | Cercis can. 'Merlot' | 150-175 Co20 |
| 12 | Cercis can. 'Merlot' | 250-300 Co80 |
| 12 | Cercis can. Red Force | 200-250 Co80 |
| 12 | Cercis can. 'Traveller' | 175-200 Co20 Heister |
| 8 | Cercis chinensis 'Avondale' | 125-150 Co50 |
| 15 | Cercis chinensis 'Shirobana' | 200-250 Co50 |
| 20 | Cercis chinensis 'Shirobana' | 200-250 Co80 |
| 11 | Cercis chinensis 'Shirobana' | 250-300 Co50 |
| 10 | Cercis chinensis 'Shirobana' | 300-350 Co50 |

| | | |
|------|-------------------------------------|---------------------|
| 12 | Cercis 'Pink Pom Poms' | 125-150 Co20 |
| 24 | Cercis 'Pink Pom Poms' | 150-175 Co20 |
| 56 | Cercis 'Pink Pom Poms' | 175-200 Co20 |
| 6 | Cercis 'Pink Pom Poms' | 200-250 Co80 |
| 10 | Chaenomeles spec. 'Nivalis' | 125-150 Co50 |
| 11 | Chaenomeles spec. 'Nivalis' | 150-175 Co20 3 Stab |
| 16 | Chaenomeles spec. 'Nivalis' | 175-200 Co20 3 Stab |
| 6 | Chaenomeles spec. 'Orange Storm' | 80-100 Co35 |
| 9 | Chaenomeles spec. 'Pink Storm' | 80-100 Co35 |
| 11 | Chaenomeles spec. 'Umbilicata' | 80-100 Co20 3 Stab |
| 6 | Chaenomeles sup. 'Crimson and Gold' | 60-80 Co20 3 Stab |
| 66 | Chaenomeles sup. 'Jet Trail' | 60-80 Co20 3 Stab |
| 10 | Chaenomeles sup. 'Jet Trail' | 80-100 Co20 3 Stab |
| 24 | Chamaecyparis p. 'Sungold' | 60-70 Co20 Breit |
| 7 | Chionanthus virginicus | 100-125 Co20 |
| 24 | Cladrastis kentukea | 100-125 Co20 |
| 9 | Cladrastis kentukea | 150-175 Co50 |
| 53 | Clematis 'Etoile Violette' | 175-200 Co20 3 Stab |
| 26 | Clematis florida 'Alba Plena' | 175-200 Co20 3 Stab |
| 10 | Clematis 'Imke' | 175-200 Co20 3 Stab |
| 56 | Clematis 'Mevrouw Le Coultre' | 175-200 Co20 3 Stab |
| 66 | Clematis montana grandiflora | 175-200 Co20 3 Stab |
| 11 | Clematis 'Princess Diana' | 175-200 Co20 3 Stab |
| 109 | Clematis 'Rouge Cardinal' | 125-150 Co20 3 Stab |
| 32 | Clematis 'Taiga' | 175-200 Co20 3 Stab |
| 69 | Clematis 'Ville de Lyon' | 175-200 Co20 3 Stab |
| 8 | Clerodendrum trichotomum | 100-125 Co20 |
| 10 | Clianthus magnificus 'Kaka King' | 175-200 Co20 3 Stab |
| 7 | Clianthus puniceus 'Roseus' | 175-200 Co20 3 Stab |
| 7 | Clianthus puniceus 'White Heron' | 175-200 Co20 3 Stab |
| 15 | Cordyline australis | 175-200 Co130 |
| 432 | Cornus alba 'Elegantissima' | 60-100 Str. |
| 1598 | Cornus alba 'Elegantissima' | 60-100 4 Tr. |
| 1 | Cornus alba 'Elegantissima' | 100-125 Co20 |
| 28 | Cornus alba 'Elegantissima' | 100-150 5 Tr. |
| 1 | Cornus alba 'Elegantissima' | 150-175 Co20 |
| 2 | Cornus alba 'Elegantissima' | 175-200 Co20 |
| 1 | Cornus alba Ivory Halo | 80-100 Co12 |
| 14 | Cornus alba 'Sibirica' | 80-100 Co20 |
| 1 | Cornus alba 'Sibirica' | 100-125 Co20 |
| 4 | Cornus alba 'Sibirica' | 125-150 Co20 |
| 32 | Cornus alba 'Sibirica Variegata' | 40-60 Str. |
| 4 | Cornus alba 'Sibirica Variegata' | 100-125 Co12 |
| 23 | Cornus alba 'Sibirica Variegata' | 150-175 Co12 |
| 1 | Cornus alba 'Sibirica Variegata' | 175-200 Co12 |
| 8 | Cornus Aurora | 175-200 Co110 |
| 13 | Cornus Aurora | 200-250 Co110 |
| 6 | Cornus controversa | 200-250 Co180 |
| 6 | Cornus elliptica Empress of China | 80-100 Co50 |
| 7 | Cornus fl. 'Alba Plena' | 250-300 Co130 |

| | | |
|-----|-------------------------------------|---------------|
| 17 | Cornus fl. 'Alba Plena' | 300-350 Co130 |
| 7 | Cornus fl. 'Cherokee Chief' | 175-200 Co110 |
| 15 | Cornus fl. 'Cherokee Chief' | 200-250 Co110 |
| 14 | Cornus fl. 'Cherokee Chief' | 250-300 Co110 |
| 12 | Cornus fl. 'Red Giant' | 200-250 Co110 |
| 17 | Cornus florida rubra | 200-250 Co110 |
| 9 | Cornus k. 'China Girl' | 250-300 Co80 |
| 6 | Cornus k. 'Milky Way' | 175-200 Co80 |
| 6 | Cornus k. Samaritan | 200-250 Co80 |
| 6 | Cornus k. 'Teutonia' | 175-200 Co50 |
| 18 | Cornus k. 'Teutonia' | 200-250 Co80 |
| 9 | Cornus k. 'Teutonia' | 200-250 Co110 |
| 20 | Cornus k. 'Teutonia' | 250-300 Co110 |
| 9 | Cornus k. 'Wieting's Select' | 250-300 Co80 |
| 8 | Cornus kousa chinensis | 200-250 Co50 |
| 6 | Cornus kousa chinensis | 300-350 Co180 |
| 20 | Cornus mas | 40-60 Co4 |
| 374 | Cornus mas | 50-80 2 Tr. |
| 1 | Cornus mas | 100-150 Str. |
| 7 | Cornus mas 'Jolico' | 100-125 Co20 |
| 9 | Cornus 'Norman Hadden' | 250-300 Co110 |
| 10 | Cornus sang. 'Anny's Winter Orange' | 175-200 Co80 |
| 109 | Cornus sang. 'Magic Flame' | 175-200 Co20 |
| 42 | Cornus sang. 'Midwinter Fire' | 40-60 Str. |
| 300 | Cornus sang. 'Midwinter Fire' | 60-100 4 Tr. |
| 215 | Cornus sang. 'Midwinter Fire' | 60-100 4 Tr. |
| 23 | Cornus sang. 'Midwinter Fire' | 125-150 Co12 |
| 14 | Cornus sang. 'Midwinter Fire' | 175-200 Co20 |
| 40 | Cornus sanguinea | 50-80 2 Tr. |
| 183 | Cornus sanguinea | 60-100 Str. |
| 40 | Cornus sanguinea | 60-100 4 Tr. |
| 685 | Cornus sanguinea | 100-150 5 Tr. |
| 254 | Cornus sericea 'Flaviramea' | 60-100 4 Tr. |
| 15 | Cornus Starlight | 200-250 Co20 |
| 25 | Corylus a. 'Contorta' | 175-200 Co80 |
| 37 | Corylus avellana | 50-80 2 Tr. |
| 746 | Corylus avellana | 60-100 Str. |
| 15 | Corylus avellana | 60-80 Co4 |
| 113 | Corylus avellana | 100-125 Co4 |
| 398 | Corylus avellana | 100-150 4 Tr. |
| 1 | Corylus avellana | 200-250 Co20 |
| 9 | Corylus avellana | 400-450 Co180 |
| 1 | Corylus 'Bergerac' | 150-175 Co20 |
| 2 | Corylus 'Halle'sche Riesen' | 100-125 Co20 |
| 2 | Corylus 'Halle'sche Riesen' | 125-150 Co20 |
| 20 | Corylus 'Halle'sche Riesen' | 150-175 Co20 |
| 40 | Corylus 'Halle'sche Riesen' | 175-200 Co20 |
| 13 | Corylus 'Halle'sche Riesen' | 200-225 Co20 |
| 1 | Corylus 'Halle'sche Riesen' | 200-250 Co20 |
| 3 | Corylus m. 'Purpurea' | 80-100 Co20 |

| | | |
|------|-------------------------------------|---------------------|
| 15 | Corylus m. 'Purpurea' | 100-125 Co20 |
| 12 | Corylus m. 'Purpurea' | 125-150 Co20 |
| 75 | Corylus m. 'Purpurea' | 150-175 Co20 |
| 54 | Corylus m. 'Purpurea' | 175-200 Co20 |
| 19 | Corylus 'Pearson's Prolific' | 100-125 Co20 |
| 10 | Corylus 'Pearson's Prolific' | 150-175 Co20 |
| 22 | Corylus 'Pearson's Prolific' | 175-200 Co20 |
| 8 | Corylus 'Red Majestic' | 175-200 Co80 |
| 1 | Cotinus cog. 'Royal Purple' | 80-100 Co20 |
| 30 | Cotoneaster horizontalis | 50-60 Co10 |
| 1 | Cotoneaster lacteus | 100-125 C12 3 Stab |
| 23 | Cotoneaster lacteus | 150-175 Co12 3 Stab |
| 185 | Crataegus monogyna | 30-50 2 Tr. |
| 1109 | Crataegus monogyna | 40-60 Str. |
| 130 | Crataegus monogyna | 60-100 Str. |
| 41 | Cupressocyparis l. 'Tweeduizendéén' | 40-60 Co4 |
| 262 | Cupressocyparis l. 'Tweeduizendéén' | 80-100 Co4 Gestäbt |
| 4 | Cupressocyparis l. 'Tweeduizendéén' | 175-200 Co20 |
| 1 | Cupressocyparis l. 'Tweeduizendéén' | 200-225 Co20 |
| 25 | Cupressus semp. 'Pyramidalis' | 175-200 Co30 |
| 7 | Dasyliirion leiophyllum | 80-100 Co35 |
| 21 | Dasyliirion texanum | 80-100 Co35 |
| 81 | Deutzia gracilis | 30-40 5 Tr. |
| 686 | Deutzia gracilis | 40-60 5 Tr. |
| 253 | Deutzia hybrida 'Mont Rose' | 40-60 Str. |
| 648 | Deutzia hybrida 'Mont Rose' | 40-60 4 Tr. |
| 1893 | Deutzia hybrida 'Mont Rose' | 60-100 4 Tr. |
| 258 | Deutzia hybrida 'Mont Rose' | 60-100 4 Tr. |
| 36 | Deutzia hybrida 'Mont Rose' | 200-225 C20 3 Stab |
| 8 | Deutzia magnifica | 175-200 Co20 |
| 15 | Deutzia magnifica | 200-225 Co20 |
| 11 | Dianella revoluta Coolvista | Co20 |
| 3 | Diospyros virginiana | 125-150 Co20 |
| 1 | Diospyros virginiana | 150-175 Co20 |
| 2 | Diospyros virginiana | 200-225 Co20 |
| 12 | Elaeagnus ebbingei | 90-100 Co50 Kugel |
| 3 | Elaeagnus ebbingei | 100-125 Co10 |
| 7 | Eleutherococcus henryi | 150-175 Co20 |
| 54 | Enkianthus camp. Prettycoat | 100-125 Co20 |
| 7 | Enkianthus camp. 'Red Bells' | 100-125 Co20 |
| 8 | Ensete lasiocarpa | 175-200 Co50 |
| 7 | Escallonia 'Iveyi' | 100-125 Co20 |
| 21 | Escallonia laevis 'Gold Ellen' | 50-60 Co20 Breit |
| 15 | Escallonia laevis 'Gold Ellen' | 60-80 Co20 Breit |
| 2 | Eucalyptus cinerea 'Silver Dollar' | 175-200 Co20 |
| 36 | Eucalyptus gunnii Azura | 150-175 Co20 |
| 12 | Eucalyptus gunnii France Blue | 175-200 Co20 |
| 7 | Eucommia ulmoides | 175-200 Co20 |
| 6 | Eucommia ulmoides | 250-300 Co50 |
| 432 | Euonymus europaeus | 40-60 Str. |

| | | |
|------|-----------------------------------|---------------------------------------|
| 188 | Euonymus europaeus | 50-80 2 Tr. |
| 4 | Euonymus europaeus | 175-200 Co20 |
| 15 | Euonymus europaeus 'Red Cascade' | 80-100 Co20 |
| 104 | Euonymus europaeus 'Red Cascade' | 100-125 Co20 |
| 22 | Euonymus fort. 'Emerald Gaiety' | 40-50 Co20 Breit |
| 13 | Euonymus fort. 'Emerald 'n' Gold' | 40-50 Co20 |
| 17 | Exochorda Snow Day Blizzard | 125-150 Co20 1 Stab |
| 8 | Exochorda 'The Bride' | 150-175 Co20 1 Stab |
| 14 | Exochorda 'The Bride' | 175-200 Co20 1 Stab |
| 1101 | Fagus syl. 'Atropunicea' | 40-60 Co4 Gestäbt |
| 1304 | Fagus syl. 'Atropunicea' | 60-80 Co4 Gestäbt |
| 3 | Fagus syl. 'Atropunicea' | 150x50x30 Hecke mDrB. |
| 44 | Fagus syl. 'Atropunicea' | 200x100x30 Fertig Hecke |
| 7 | Fagus syl. 'Atropunicea' | 225x60x40 Hecke mDrB. |
| 14 | Fagus syl. 'Atropunicea' | 150 cm Stamm Würfel auf Mehrst. mDrB. |
| 19 | Fagus sylvatica | 40-60 o.B. |
| 613 | Fagus sylvatica | 40-60 Co4 |
| 1798 | Fagus sylvatica | 40-60 Co4 Gestäbt |
| 1032 | Fagus sylvatica | 60-80 Co4 |
| 4508 | Fagus sylvatica | 60-80 Co4 Gestäbt |
| 1382 | Fagus sylvatica | 80-100 Co4 |
| 2507 | Fagus sylvatica | 80-100 Co4 Gestäbt |
| 963 | Fagus sylvatica | 100-125 Heister |
| 661 | Fagus sylvatica | 100-125 Co4 |
| 1190 | Fagus sylvatica | 100-125 Co4 Gestäbt |
| 128 | Fagus sylvatica | 100-125 Co12 |
| 283 | Fagus sylvatica | 125-150 Heister |
| 4 | Fagus sylvatica | 125-150 Co4 |
| 533 | Fagus sylvatica | 125-150 Co12 |
| 13 | Fagus sylvatica | 150-175 Heister |
| 627 | Fagus sylvatica | 150-175 Co12 |
| 50 | Fagus sylvatica | 200x100x30 Fertig Hecke |
| 2 | Fagus sylvatica | 225x80x60 Hecke Co110 |
| 16 | Fagus sylvatica | 125 cm Stamm Würfel auf Mehrst. mDrB. |
| 26 | Fagus sylvatica | 150 cm Stamm Würfel auf Mehrst. mDrB. |
| 9 | Fargesia mur. 'Jumbo' | 100-125 Co20 |
| 24 | Fargesia mur. 'Sunshine' | 80-100 Co20 |
| 48 | Fargesia mur. 'Sunshine' | 100-125 Co20 |
| 8 | Ficus car. 'Rouge de Bordeaux' | 80-100 Co20 |
| 51 | Forsythia int. 'Lynwood' | 40-60 Str. |
| 6 | Forsythia int. Week-End | 40-60 Str. |
| 1 | Forsythia int. Week-End | 100-125 Co12 |
| 1 | Frangula alnus | 60-100 Str. |
| 46 | Frangula alnus 'Aspleniifolia' | 80-100 Co20 |
| 39 | Frangula alnus 'Aspleniifolia' | 100-125 Co20 |
| 6 | Frangula alnus Fine Line | 150-175 Co20 |
| 86 | Garrya thuretii | 175-200 Co20 3 Stab |
| 2 | Gleditsia triacanthos inermis | 125-150 Co20 |
| 1 | Gleditsia triacanthos inermis | 150-175 Co20 |
| 3 | Gleditsia triacanthos inermis | 175-200 Co20 |

| | | |
|-----|-------------------------------------|---------------------|
| 6 | Gleditsia triacanthos inermis | 200-250 Co20 |
| 7 | Gleditsia triacanthos inermis | 250-300 Solitaer |
| 32 | Halesia carolina | 100-125 Co20 |
| 25 | Halesia carolina | 125-150 Co20 |
| 33 | Hedera alg. 'Gloire de Marengo' | 200-250 Co20 3 Stab |
| 48 | Hedera colchica 'Dentata Variegata' | 200-250 Co20 3 Stab |
| 13 | Heptacodium micon. Temple of Bloom | 80-100 Co20 |
| 41 | Heptacodium micon. Temple of Bloom | 100-125 Co20 |
| 4 | Heptacodium micon. Temple of Bloom | 125-150 Co20 |
| 4 | Heptacodium miconioides | 60-80 Co12 |
| 4 | Heptacodium miconioides | 80-100 Co12 |
| 76 | Heptacodium miconioides | 100-125 Co12 |
| 18 | Heptacodium miconioides | 125-150 Co12 |
| 12 | Hibiscus syr. China Chiffon | 100-125 Co20 |
| 6 | Hippophae rhamn. 'Hikul' | 80-100 Co20 |
| 9 | Hippophae rhamn. 'Hikul' | 100-125 Co20 |
| 47 | Hoheria sexstylosa 'Stardust' | 150-175 Co20 |
| 12 | Hoheria sexstylosa 'Stardust' | 175-200 Co20 |
| 24 | Hosta sieboldiana | Fertigware m.Tb. |
| 14 | Hovenia dulcis | 60-80 Co20 |
| 12 | Hovenia dulcis | 200-250 Co50 |
| 140 | Hydrangea a. Candybelle Bubblegum | 80-100 Co20 |
| 81 | Hydrangea a. Candybelle Marshmallow | 80-100 Co20 |
| 150 | Hydrangea anomala petiolaris | 125-150 Co20 3 Stab |
| 92 | Hydrangea anomala petiolaris | 150-175 Co20 3 Stab |
| 28 | Hydrangea asp. Hot Chocolate | 60-80 Co20 |
| 23 | Hydrangea asp. 'Macrophylla' | 125-150 Co20 |
| 39 | Hydrangea asp. 'Macrophylla' | 150-175 Co20 |
| 17 | Hydrangea involuc. 'Yohraku-tama' | 40-50 Co20 |
| 21 | Hydrangea m. 'Libelle' | 50-60 Co20 |
| 7 | Hydrangea m. 'Mathilde Gütges' | 50-60 Co20 |
| 13 | Hydrangea m. So Long Aya | 50-60 Co20 |
| 6 | Hydrangea m. 'Starlit Sky' | 60-80 Co20 |
| 6 | Hydrangea pan. Skyfall | 100-125 Co20 |
| 6 | Ilex crenata | 30-40 Co2 |
| 3 | Ilex crenata Dark Green | 30-40 Co3 |
| 7 | Ilex crenata 'Dwarf Pagoda' | 70-80 Co35 |
| 15 | Ilex crenata 'Fastigiata' | 80-100 Co20 |
| 38 | Ilex meserv. 'Blue Angel' | 80-100 Co80 Kugel |
| 8 | Ilex meserv. 'Blue Angel' | 100-125 C80 Kugel |
| 10 | Ilex paraguariensis | 100-125 Co20 |
| 8 | Jasminum officinale | 175-200 Co20 3 Stab |
| 19 | Jasminum 'Starry Night' | 200-250 Co20 3 Stab |
| 25 | Jasminum 'Starry Summer Scent' | 200-250 Co20 3 Stab |
| 15 | Juniperus procumbens 'Nana' | 80-100 Co20 Breit |
| 15 | Juniperus s. 'Blue Arrow' | 125-150 Co20 |
| 13 | Juniperus s. 'Blue Arrow' | 150-175 Co20 |
| 19 | Juniperus s. 'Blue Arrow' | 200-225 Co20 |
| 7 | Juniperus virg. 'Grey Owl' | 100-125 Co35 Breit |
| 21 | Kerria jap. 'Golden Guinea' | 100-125 Co20 |

| | | |
|------|--------------------------------|-------------------------|
| 31 | Kerria jap. 'Pleniflora' | 175-200 Co12 3 Stab |
| 6 | Kerria jap. 'Pleniflora' | 175-200 Co20 |
| 17 | Kerria japonica | 125-150 C12 3 Stab |
| 8 | Kerria japonica | 150-175 Co12 3 Stab |
| 9 | Koelreuteria paniculata | 150-175 Co50 |
| 16 | Koelreuteria paniculata | 175-200 Co50 |
| 6 | Koelreuteria paniculata | 200-250 Co80 |
| 9 | Koelreuteria paniculata | 200-250 Co110 |
| 7 | Koelreuteria paniculata | 250-300 Co80 |
| 8 | Koelreuteria paniculata | 250-300 Co130 |
| 39 | Kolkwitzia amabilis | 30-40 Str. |
| 388 | Kolkwitzia amabilis | 40-60 Str. |
| 123 | Kolkwitzia amabilis | 60-100 Str. |
| 130 | Kolkwitzia amabilis | 60-80 Co6 |
| 323 | Kolkwitzia amabilis | 60-100 4 Tr. |
| 1 | Kolkwitzia amabilis | 100-125 Co20 3 Stab |
| 74 | Kolkwitzia amabilis | 175-200 Co20 3 Stab |
| 6 | Lagerstroemia i. Braise d'Été | 200-250 Co80 |
| 6 | Lagerstroemia Rhapsody in Pink | 125-150 Co50 |
| 7 | Lespedeza thunbergii | 200-250 Co20 1 Stab |
| 20 | Leucothoe keiskei Burning Love | 40-50 Co20 Breit |
| 6 | Ligustrum delavayanum | 80 cm Stam Co20 Kugel |
| 20 | Ligustrum japonicum | 80-100 Co20 |
| 9 | Ligustrum japonicum | 200-250 Co80 |
| 3 | Ligustrum luc. Green Screen | 100-125 Co20 |
| 2 | Ligustrum luc. Green Screen | 125-150 Co20 |
| 24 | Ligustrum luc. Green Screen | 150-175 Co20 |
| 8 | Ligustrum luc. Green Screen | 175-200 Co20 |
| 2 | Ligustrum lucidum | 80-100 Co20 |
| 10 | Ligustrum lucidum | 125-150 Co20 |
| 155 | Ligustrum oval. 'Aureum' | 40-60 Str. |
| 574 | Ligustrum oval. 'Aureum' | 40-60 6 Tr. |
| 132 | Ligustrum oval. 'Aureum' | 60-100 6 Tr. |
| 68 | Ligustrum oval. 'Aureum' | 60-80 Co4 |
| 434 | Ligustrum oval. 'Aureum' | 80-100 Co4 |
| 5 | Ligustrum oval. 'Aureum' | 80-100 Co12 |
| 182 | Ligustrum oval. 'Aureum' | 100-125 Co4 |
| 62 | Ligustrum oval. 'Aureum' | 100-125 Co12 |
| 1 | Ligustrum oval. 'Aureum' | 125-150 Co4 |
| 1 | Ligustrum oval. 'Aureum' | 125-150 Co12 |
| 935 | Ligustrum ovalifolium | 60-100 Str. |
| 2215 | Ligustrum ovalifolium | 60-100 6 Tr. |
| 5 | Ligustrum ovalifolium | 60-80 Co4 |
| 2095 | Ligustrum ovalifolium | 60-100 6 Tr. |
| 934 | Ligustrum ovalifolium | 60-100 8 Tr. |
| 3 | Ligustrum ovalifolium | 100-125 Co12 |
| 30 | Ligustrum ovalifolium | 125-150 Co12 |
| 38 | Ligustrum ovalifolium | 150-175 Co12 |
| 2 | Ligustrum ovalifolium | 175-200 Co12 |
| 35 | Ligustrum ovalifolium | 200x100x30 Fertig Hecke |

| | | |
|------|--|-------------------------|
| 3 | Ligustrum vulg. 'Atrovirens' | 40-60 Co4 |
| 1477 | Ligustrum vulg. 'Atrovirens' | 60-100 Str. |
| 1 | Ligustrum vulg. 'Atrovirens' | 60-80 Co4 |
| 1515 | Ligustrum vulg. 'Atrovirens' | 60-100 6 Tr. |
| 165 | Ligustrum vulg. 'Atrovirens' | 60-100 8 Tr. |
| 24 | Ligustrum vulg. 'Atrovirens' | 80-100 Co12 |
| 9 | Ligustrum vulg. 'Atrovirens' | 100-125 Co12 |
| 50 | Ligustrum vulg. 'Atrovirens' | 200x100x30 Fertig Hecke |
| 2 | Ligustrum vulg. 'Lodense' | 30-40 Str. |
| 9 | Ligustrum vulg. 'Lodense' | 30-40 Co4 |
| 11 | Ligustrum vulg. 'Lodense' | 40-60 Str. |
| 2 | Ligustrum vulg. 'Lodense' | 40-60 Co4 |
| 70 | Ligustrum vulg. 'Lodense' | 25-30 Str. |
| 4 | Ligustrum vulgare | 40-60 Co4 |
| 142 | Ligustrum vulgare | 60-100 6 Tr. |
| 1 | Ligustrum vulgare | 80-100 Co4 |
| 1 | Ligustrum vulgare | 80-100 Co12 |
| 5 | Ligustrum vulgare | 100-125 Co4 |
| 1 | Ligustrum vulgare | 125-150 Co4 |
| 9 | Lindera benzoin | 175-200 Co20 |
| 14 | Liquidambar formosana | 200-250 Co50 |
| 11 | Liquidambar s. 'Worplesdon' | 125-150 Co20 |
| 7 | Liquidambar s. 'Worplesdon' | 150-175 Co20 |
| 18 | Liquidambar s. 'Worplesdon' | 175-200 Co20 |
| 10 | Liquidambar styraciflua | 200-250 Co110 |
| 6 | Lonicera heckr. 'American Beauty' | 200-250 Co20 3 Stab |
| 32 | Lonicera nit. 'Compact' | 30-40 Co10 |
| 5 | Lonicera xylosteum | 125-150 Co20 |
| 26 | Lonicera xylosteum | 150-200 Co20 |
| 7 | Lonicera xylosteum | 200-225 Co20 |
| 7 | Loropetalum chin. 'Carolina Moonlight' | 125-150 Co35 |
| 10 | Loropetalum chin. 'Daybreak's Flame' | 150-175 Co35 |
| 8 | Lyonia ligustrina | 100-125 Co20 |
| 15 | Maackia amurensis | 100-125 Co20 |
| 11 | Maclura pomifera 'Cannonball' | 175-200 Co20 |
| 2 | Mahonia aq. 'Smaragd' | 25-30 mB. |
| 4 | Mahonia aquifolium | 60-80 mB. |
| 6 | Mahonia 'Cabaret' | 60-70 Co20 |
| 51 | Mahonia media 'Charity' | 80-100 Co20 |
| 27 | Malus 'Evereste' | 100-125 Co20 |
| 14 | Malus 'Evereste' | 125-150 Co20 |
| 1 | Malus 'Evereste' | 150-175 Co20 |
| 42 | Malus 'Red Sentinel' | 100-125 Co20 |
| 7 | Miscanthus sin. 'Gracillimus' | 80-100 Co20 |
| 12 | Miscanthus sin. 'Morning Light' | 80-100 Co20 |
| 9 | Musa sikkimensis 'Red Tiger' | 150-200 Co20 |
| 20 | Nitella excelsa | 80-100 Co35 |
| 12 | Nyssa sylvatica 'Wildfire' | 80-100 Co20 |
| 10 | Nyssa sylvatica 'Wildfire' | 100-125 Co20 |
| 19 | Nyssa sylvatica 'Wildfire' | 125-150 Co20 |

| | | |
|-----|-------------------------------------|-------------------------|
| 10 | Nyssa sylvatica 'Zydeco Twist' | 175-200 Co20 Heister |
| 10 | Osmanthus armatus | 175-200 Co130 |
| 1 | Osmanthus burkwoodii | 40-50 Kugel Co20 |
| 1 | Osmanthus burkwoodii | 100-125 Co12 |
| 73 | Osmanthus fortunei | 175-200 Co20 |
| 28 | Osmanthus heter. 'Goshiki' | 60-80 Co20 |
| 2 | Osmanthus heterophyllus | 80-100 Co12 |
| 7 | Osmanthus heterophyllus | 125-150 Co12 |
| 7 | Osmanthus heterophyllus | 150-175 Co12 |
| 58 | Osmanthus heterophyllus | 175-200 Co20 |
| 1 | Ostrya carpinifolia | 150-175 Co20 |
| 2 | Ostrya carpinifolia | 175-200 Co20 |
| 7 | Ostrya carpinifolia | 300-350 Co80 |
| 14 | Parrotia persica | 125-150 Co20 |
| 65 | Parrotia persica | 150-175 Co20 |
| 69 | Parrotia persica | 175-200 Co20 |
| 83 | Parrotia persica | 200x100x30 Fertig Hecke |
| 6 | Parrotia persica | 200-250 Co80 |
| 11 | Parrotia persica 'Bella' | 100-125 Co20 |
| 8 | Parrotia persica 'Bella' | 150-175 Co20 |
| 20 | Parrotia persica 'Vanessa' | 125-150 Co20 |
| 18 | Parrotia persica 'Vanessa' | 150-175 Co20 |
| 35 | Parrotia persica 'Vanessa' | 175-200 Co20 |
| 7 | Parrotia persica 'Vanessa' | 200-250 Co80 |
| 9 | Parrotia persica 'Vanessa' | 200-250 Co110 |
| 6 | Parrotia persica 'Vanessa' | 300-350 Co110 |
| 23 | Parthenocissus henryana | 200-250 Co20 3 Stab |
| 74 | Parthenocissus quinq.engelmannii | 200-250 Co20 3 Stab |
| 89 | Passiflora caerulea 'Const.Elliott' | 200-250 Co20 3 Stab |
| 277 | Philadelphus 'Belle Etoile' | 125-150 Co20 |
| 457 | Philadelphus 'Belle Etoile' | 150-175 Co20 |
| 40 | Philadelphus coronarius | 40-60 Str. |
| 386 | Philadelphus coronarius | 40-60 4 Tr. |
| 145 | Philadelphus coronarius | 200-250 Co20 |
| 10 | Philadelphus 'Lemoinei' | 100-125 Co20 |
| 65 | Philadelphus 'Manteau d'Hermine' | 80-100 Co20 |
| 914 | Philadelphus 'Schneesturm' | 40-60 Str. |
| 761 | Philadelphus 'Schneesturm' | 60-100 Str. |
| 38 | Philadelphus 'Schneesturm' | 175-200 Co20 |
| 107 | Philadelphus 'Schneesturm' | 200-225 Co20 |
| 358 | Philadelphus 'Virginal' | 40-60 Str. |
| 436 | Philadelphus 'Virginal' | 60-100 Str. |
| 285 | Philadelphus 'Virginal' | 60-100 4 Tr. |
| 53 | Philadelphus 'Virginal' | 60-80 Co4 |
| 97 | Philadelphus 'Virginal' | 60-100 4 Tr. |
| 6 | Philadelphus 'Virginal' | 80-100 Co12 |
| 8 | Philadelphus 'Virginal' | 100-125 Co12 |
| 2 | Philadelphus 'Virginal' | 125-150 Co12 |
| 151 | Philadelphus 'Virginal' | 150-175 Co12 |
| 68 | Philadelphus 'Virginal' | 175-200 Co12 |

| | | |
|-----|--------------------------------|-------------------|
| 128 | Philadelphus 'Virginal' | 175-200 Co20 |
| 76 | Philadelphus 'Virginal' | 200-225 Co12 |
| 12 | Phormium 'Apricot Queen' | 60-80 Co20 |
| 7 | Phormium 'Flamingo' | 125-150 Co20 |
| 23 | Phormium tenax 'Special Red' | 80-100 Co20 |
| 7 | Phormium tenax 'Variegatum' | 80-100 Co50 |
| 8 | Phormium tenax 'Variegatum' | 125-150 Co50 |
| 14 | Photinia fraseri 'Carré Rouge' | 40-60 Co12 |
| 172 | Photinia fraseri 'Carré Rouge' | 60-80 Co12 |
| 18 | Photinia fraseri 'Carré Rouge' | 80-100 mB. |
| 7 | Photinia fraseri 'Carré Rouge' | 80-100 Co12 |
| 1 | Photinia fraseri 'Carré Rouge' | 150-175 Co12 |
| 25 | Photinia fraseri 'Red Robin' | 70-80 Co10 |
| 34 | Photinia fraseri 'Red Robin' | 80-100 Co10 |
| 2 | Photinia fraseri 'Red Robin' | 100-125 mB. |
| 20 | Photinia fraseri 'Red Robin' | 125-150 Co20 |
| 20 | Photinia fraseri 'Red Robin' | 125-150 Co30 |
| 4 | Photinia fraseri 'Red Robin' | 150-175 Co12 |
| 1 | Photinia villosa | 200-225 Co20 |
| 12 | Picea a. 'Nidiformis' | 50-60 Co20 Breit |
| 186 | Picea abies | 40-60 mB. |
| 120 | Picea abies | 60-80 mB. |
| 607 | Picea abies | 80-100 mB. |
| 13 | Picea abies | 100-125 mDrB. |
| 209 | Picea abies | 100-125 mB. |
| 23 | Picea abies | 125-150 mDrB. |
| 124 | Picea abies | 125-150 mB. |
| 82 | Picea abies | 175-200 mDrB. |
| 558 | Picea omorika | 40-60 mB. |
| 3 | Picea omorika | 60-80 mDrB. |
| 976 | Picea omorika | 60-80 mB. |
| 5 | Picea omorika | 80-100 mDrB. |
| 661 | Picea omorika | 80-100 mB. |
| 74 | Picea omorika | 100-125 mDrB. |
| 164 | Picea omorika | 100-125 mB. |
| 203 | Picea omorika | 125-150 mDrB. |
| 343 | Picea omorika | 150-175 mDrB. |
| 6 | Picea omorika | 175-200 mDrB. |
| 14 | Picea omorika 'Karel' | 60-70 Co20 Breit |
| 1 | Pinus koraiensis 'Silveray' | 100-125 Co110 |
| 1 | Pinus koraiensis 'Silveray' | 125-150 Co110 |
| 6 | Pinus mugo 'Gnom' | 60-80 Co80 |
| 6 | Pinus mugo 'Humpy' | 60-80 Co80 Breit |
| 7 | Pinus mugo 'Klosterkötter' | 30-40 Co20 |
| 7 | Pinus mugo mugo | 70-80 Co35 breit |
| 29 | Pinus mugo pumilio | 60-70 Co35 Breit |
| 21 | Pinus mugo pumilio | 70-80 Co110 flach |
| 7 | Pinus nigra 'Green Tower' | 60-80 mDrB. |
| 12 | Pinus nigra 'Green Tower' | 80-100 mDrB. |
| 6 | Pinus nigra nigra | 60-80 mDrB. |

| | | |
|-----|-------------------------------------|--------------------|
| 42 | Pinus nigra nigra | 80-100 mDrB. |
| 90 | Pinus nigra nigra | 100-125 mDrB. |
| 1 | Pinus nigra nigra | 125-150 mDrB. |
| 3 | Pinus nigra nigra | 150-175 mDrB. |
| 8 | Pinus nigra 'Pierrick Bregeon' | Halbstamm Co80 |
| 4 | Pinus nigra 'Pyramidalis' | 80-100 mDrB. |
| 1 | Pinus nigra 'Pyramidalis' | 125-150 mDrB. |
| 23 | Pinus parv. 'Negishi' | 60-80 mDrB. |
| 4 | Pinus parv. 'Negishi' | 80-100 mDrB. |
| 7 | Pinus parv. 'Schoon's Bonsai' | 60-80 mDrB. |
| 17 | Pinus parv. 'Schoon's Bonsai' | 80-100 mDrB. |
| 1 | Pinus parv. 'Schoon's Bonsai' | 100-125 mDrB. |
| 9 | Pinus resinosa 'Nana' | 50-60 Co50 breit |
| 3 | Pinus schwerinii 'Wiethorst' | 60-80 mDrB. |
| 1 | Pinus schwerinii 'Wiethorst' | 60-80 Co65 |
| 3 | Pinus schwerinii 'Wiethorst' | 80-100 mDrB. |
| 6 | Pinus schwerinii 'Wiethorst' | 100-125 mDrB. |
| 6 | Pinus strobus | 100-125 mDrB. |
| 2 | Pinus strobus | 125-150 mDrB. |
| 9 | Pinus strobus 'Minima' | 60-70 Co35 Breit |
| 9 | Pinus strobus 'Minima' | 80-90 Co80 breit |
| 8 | Pinus strobus 'Tiny Kurls' | 40-50 Co20 Breit |
| 17 | Pinus sylv. 'Beuvronensis' | 50-60 Co20 Breit |
| 1 | Pinus sylv. 'Fastigiata' | 60-80 mDrB. |
| 1 | Pinus sylv. 'Fastigiata' | 80-100 mDrB. |
| 7 | Pinus sylv. 'Fastigiata' | 100-125 mDrB. |
| 3 | Pinus sylv. 'Fastigiata' | 125-150 mDrB. |
| 1 | Pinus sylv. 'Norska' | 60-80 mDrB. |
| 42 | Pinus sylv. 'Norska' | 80-100 mDrB. |
| 198 | Pinus sylv. 'Norska' | 100-125 mDrB. |
| 203 | Pinus sylv. 'Norska' | 125-150 mDrB. |
| 163 | Pinus sylv. 'Norska' | 150-175 mDrB. |
| 1 | Pinus sylv. 'Norska' | 175-200 mDrB. |
| 2 | Pinus sylv. 'Norska' | 200-225 mDrB. |
| 23 | Pinus sylv. 'Watereri' | 70-80 Co80 |
| 21 | Pinus sylv. 'Watereri' | 80-100 Co180 breit |
| 5 | Pinus sylvestris | 80-100 mDrB. |
| 88 | Pinus sylvestris | 100-125 mDrB. |
| 110 | Pinus sylvestris | 125-150 mDrB. |
| 19 | Pinus sylvestris | 150-175 mDrB. |
| 4 | Pinus sylvestris | 175-200 Co110 |
| 3 | Pinus wallichiana | 100-125 mDrB. |
| 3 | Pinus wallichiana | 150-175 mDrB. |
| 1 | Pinus wallichiana | 175-200 mDrB. |
| 151 | Pittosporum t. 'N. du Mont Ventoux' | 60-80 Co20 Breit |
| 20 | Pittosporum tob. 'Nanum' | 60-80 Co20 Breit |
| 64 | Pittosporum tob. 'Nanum' | Co10 |
| 6 | Poncirus trifoliata | 175-200 Co50 |
| 67 | Potentilla f. 'Goldfinger' | 30-40 4 Tr. |
| 375 | Prunus l. 'Caucasica' | 40-60 mB. |

| | | |
|------|----------------------------------|---------------------|
| 765 | Prunus l. 'Caucasica' | 60-80 mB. |
| 850 | Prunus l. 'Caucasica' | 80-100 mB. |
| 10 | Prunus l. 'Caucasica' | 100-125 mB. |
| 53 | Prunus l. 'Caucasica' | 125-150 Co20 |
| 1195 | Prunus l. Etna | 60-80 mB. |
| 242 | Prunus l. Etna | 80-100 mB. |
| 30 | Prunus l. Etna | 100-125 mB. |
| 490 | Prunus l. Genolia | 40-60 mB. |
| 1410 | Prunus l. Genolia | 60-80 mB. |
| 975 | Prunus l. Genolia | 80-100 mB. |
| 22 | Prunus l. Genolia | 80-100 Co20 |
| 222 | Prunus l. Genolia | 100-125 Co20 |
| 250 | Prunus l. Genolia | 125-150 Co20 |
| 189 | Prunus l. Genolia | 150-175 Co20 |
| 247 | Prunus l. 'Herbergii' | 50-60 mB. |
| 50 | Prunus l. 'Otto Luyken' | 30-40 mB. |
| 16 | Prunus l. 'Otto Luyken' | 40-60 Co20 Breit |
| 44 | Prunus l. 'Otto Luyken' | 60-80 Co20 Breit |
| 720 | Prunus l. 'Rotundifolia' | 40-60 mB. |
| 1425 | Prunus l. 'Rotundifolia' | 60-80 mB. |
| 1090 | Prunus l. 'Rotundifolia' | 80-100 mB. |
| 2 | Prunus l. 'Rotundifolia' | 80-100 Co20 |
| 12 | Prunus l. 'Rotundifolia' | 100-125 Co20 |
| 31 | Prunus l. 'Rotundifolia' | 125-150 Co20 |
| 2 | Prunus l. 'Rotundifolia' | 175-200 Co20 |
| 2 | Prunus l. 'Rotundifolia' | 200-225 Co20 |
| 7 | Prunus lusitanica 'Angustifolia' | 60-80 mB. |
| 2 | Prunus lusitanica 'Angustifolia' | 80-100 mB. |
| 1 | Prunus lusitanica 'Angustifolia' | 125-150 Solitaer |
| 2 | Prunus lusitanica 'Angustifolia' | 125-150 Co20 |
| 2 | Prunus lusitanica 'Angustifolia' | 150-175 mB. |
| 2 | Prunus lusitanica 'Angustifolia' | 150-175 Solitaer |
| 21 | Prunus lusitanica 'Angustifolia' | 175-200 Solitaer |
| 9 | Prunus lusitanica 'Angustifolia' | 200-250 Solitaer |
| 1 | Prunus lusitanica 'Angustifolia' | 250-300 Solitaer |
| 122 | Prunus padus | 200-250 Co20 |
| 8 | Prunus padus 'Colorata' | 100-125 Co20 |
| 34 | Prunus padus 'Le Thourel' | 150-175 Co20 |
| 13 | Prunus padus 'Le Thourel' | 175-200 Co20 |
| 1 | Prunus ser. 'Amanogawa' | 150-175 Co20 |
| 51 | Prunus ser. 'Amanogawa' | 200-250 Co20 |
| 32 | Prunus serrula | 300-350 Co110 |
| 1 | Prunus spinosa | 80-100 Co12 |
| 1 | Prunus spinosa | 100-125 Co12 |
| 6 | Prunus subh. 'Autumnalis' | 250-300 Co110 |
| 23 | Ptelea trifoliata | 100-125 Co20 |
| 27 | Ptelea trifoliata | 125-150 Co20 |
| 1 | Pyracantha cocc. 'Red Column' | 100-125 Co20 3 Stab |
| 3 | Pyracantha cocc. 'Red Column' | 125-150 Co20 3 Stab |
| 65 | Pyracantha Saphyr Jaune | 175-200 Co20 3 Stab |

| | | |
|-----|------------------------------------|------------------------|
| 13 | Pyracantha Saphyr Jaune | 200-225 C20 3 Stab |
| 2 | Pyracantha Saphyr Orange | 100-125 Co20 3 Stab |
| 16 | Pyracantha Saphyr Orange | 150-175 Co20 3 Stab |
| 1 | Pyracantha Saphyr Orange | 175-200 Co20 3 Stab |
| 43 | Pyracantha Saphyr Rouge | 175-200 Co20 3 Stab |
| 14 | Pyracantha Saphyr Rouge | 200-225 C20 3 Stab |
| 2 | Pyrus calleryana 'Chanticleer' | 600-700 Solitaer |
| 3 | Pyrus calleryana 'Chanticleer' | 700-800 Solitaer |
| 7 | Quercus ilex | 125-150 Co80 |
| 6 | Quercus palustris | 700-800 mDrB. |
| 17 | Quercus palustris | 700-800 mDrB. 2 Stamm |
| 3 | Quercus palustris | 900-1000 mDrB. 2 Stamm |
| 3 | Quercus robur | 100-125 Solitaer |
| 7 | Quercus robur | 125-150 Solitaer |
| 10 | Quercus robur | 150-175 Solitaer |
| 1 | Quercus robur | 175-200 Solitaer |
| 49 | Rhododendron (AJ) 'Aladdin Scout' | 60-80 Co20 Breit |
| 40 | Ribes alpinum | 40-60 6 Tr. |
| 2 | Ribes alpinum | 60-80 Co12 |
| 1 | Ribes alpinum | 80-100 Co12 |
| 47 | Ribes alpinum 'Schmidt' | 40-60 6 Tr. |
| 3 | Ribes alpinum 'Schmidt' | 80-100 Co12 |
| 190 | Ribes aureum | 60-100 Str. |
| 8 | Ribes odoratum | 125-150 Co20 |
| 90 | Ribes sang. 'King Edward VII' | 40-60 Str. |
| 48 | Ribes sang. 'King Edward VII' | 50-80 2 Tr. |
| 55 | Ribes sang. 'King Edward VII' | 60-100 Str. |
| 105 | Ribes sang. 'King Edward VII' | 60-100 4 Tr. |
| 479 | Ribes sang. 'King Edward VII' | 100-150 5 Tr. |
| 12 | Robinia ps. Twisty Baby | 175-200 Co20 |
| 552 | Rosa (H) Amstelveen | A Qual. we C1.5 |
| 176 | Rosa (H) Aspirin Rose | A Qual. |
| 648 | Rosa (P) Bad Birnbach | A Qual. |
| 2 | Rosa (H) 'Ballerina' | A Qual. we C1.5 |
| 12 | Rosa 'Bienenweide Apricot' | A Qual. we C1.5 |
| 128 | Rosa 'Bienenweide Bicolor' | A Qual. we C1.5 |
| 157 | Rosa 'Bienenweide Gelb' | A Qual. we C1.5 |
| 54 | Rosa 'Bienenweide Rosa' | A Qual. we C1.5 |
| 89 | Rosa 'Bienenweide Rot' | A Qual. we C1.5 |
| 773 | Rosa 'Bienenweide Weiß' | A Qual. we C1.5 |
| 244 | Rosa (H) Bingo Meidiland | A Qual. we C1.5 |
| 297 | Rosa (R) 'Blanc Double de Coubert' | A Qual. Wurzelecht |
| 53 | Rosa (H) 'Canary Bird' | A Qual. |
| 32 | Rosa (H) 'Candela' | A Qual. we C1.5 |
| 37 | Rosa (o) canina | 60-100 Str. |
| 493 | Rosa (o) canina | 100-150 Str. |
| 236 | Rosa (F) Caracho | A Qual. |
| 50 | Rosa centifolia 'Muscosa' | A Qual. |
| 426 | Rosa (H) 'Complicata' | A Qual. |
| 170 | Rosa (R) Dagmar Hastrup | A Qual. Wurzelecht |

| | | |
|------|--------------------------------------|--------------------|
| 4 | Rosa (R) Dagmar Hastrup | A Qual. we C1.5 |
| 278 | Rosa (M) Fairy Dance | A Qual. we C1.5 |
| 314 | Rosa Fortuna | A Qual. we C1.5 |
| 1584 | Rosa Frozen Roadrunner | A Qual. we C1.5 |
| 747 | Rosa (H) 'Frühlingsgold' | A Qual. |
| 824 | Rosa gallica | A Qual. Wurzelecht |
| 34 | Rosa gallica 'Officinalis' | A Qual. |
| 4 | Rosa (H) Gärtnerfreude | A Qual. we C1.5 |
| 1245 | Rosa (H) Gelbe Dagmar Hastrup | A Qual. Wurzelecht |
| 94 | Rosa (H) Gelbe Dagmar Hastrup | A Qual. we C1.5 |
| 11 | Rosa glauca | 60-100 Str. |
| 247 | Rosa glauca | 60-100 Str. |
| 359 | Rosa glauca | 100-150 Str. |
| 380 | Rosa (R) 'Rosa Zwerg' | A Qual. Wurzelecht |
| 9 | Rosa (R) 'Rosa Zwerg' | A Qual. we C1.5 |
| 1952 | Rosa (R) 'Hansa' | A Qual. Wurzelecht |
| 493 | Rosa (R) 'Hansa' | A Qual. we C1.5 |
| 944 | Rosa (M) Hotline | A Qual. we C1.5 |
| 114 | Rosa hugonis | A Qual. |
| 1 | Rosa Innocencia | A Qual. we C1.5 |
| 483 | Rosa Juanita | A Qual. we C1.5 |
| 6 | Rosa (H) Kent | A Qual. we C1.5 |
| 59 | Rosa (F) La Sevillana | A Qual. we C1.5 |
| 204 | Rosa (F) Larissa | A Qual. |
| 562 | Rosa (H) Lavender Dream | A Qual. |
| 12 | Rosa Lupo | A Qual. we C1.5 |
| 215 | Rosa (H) Mainaufeuer | A Qual. we C1.5 |
| 131 | Rosa (F) Medeo | A Qual. we C1.5 |
| 887 | Rosa (H) 'Meisterstücke Alpenglügen' | A Qual. we C1.5 |
| 414 | Rosa (H) Mirato | A Qual. |
| 674 | Rosa (H) Mirato | A Qual. we C1.5 |
| 1222 | Rosa (R) 'Moje Hammarberg' | A Qual. Wurzelecht |
| 660 | Rosa (R) 'Moje Hammarberg' | A Qual. we C1.5 |
| 27 | Rosa moyesii | A Qual. |
| 37 | Rosa (H) 'Mozart' | A Qual. |
| 5 | Rosa multiflora | 40-60 Str. |
| 50 | Rosa multiflora | 60-100 Str. |
| 356 | Rosa multiflora | 60-100 Str. |
| 668 | Rosa multiflora | 100-150 Str. |
| 2115 | Rosa Neon | A Qual. we C1.5 |
| 24 | Rosa (H) 'Nevada' | A Qual. |
| 1457 | Rosa (H) 'Nozomi' | A Qual. Wurzelecht |
| 229 | Rosa (H) Pink Meidiland | A Qual. we C1.5 |
| 1487 | Rosa (R) Pink Roadrunner | A Qual. Wurzelecht |
| 6 | Rosa (R) Pink Roadrunner | A Qual. we C1.5 |
| 258 | Rosa (H) Pink Swany | A Qual. we C1.5 |
| 179 | Rosa Pretty Star | A Qual. we C1.5 |
| 180 | Rosa (R) Purple Roadrunner | A Qual. Wurzelecht |
| 527 | Rosa (R) Romantic Roadrunner | A Qual. Wurzelecht |
| 339 | Rosa (R) Romantic Roadrunner | A Qual. we C1.5 |

| | | |
|------|-----------------------------------|---------------------|
| 2146 | Rosa (P) 'Rote The Fairy' | A Qual. we C1.5 |
| 238 | Rosa 'Rote Woge' | A Qual. |
| 1262 | Rosa (R) 'Rotes Meer' | A Qual. Wurzelecht |
| 85 | Rosa (R) 'Rotes Meer' | A Qual. we C1.5 |
| 759 | Rosa (P) Rotilia | A Qual. we C1.5 |
| 208 | Rosa (o) rubiginosa | 40-60 Str. |
| 133 | Rosa (o) rubiginosa | 60-100 Str. |
| 501 | Rosa (o) rubiginosa | 100-150 Str. |
| 50 | Rosa rugosa 'Alba' | 40-60 Str. |
| 853 | Rosa rugosa 'Alba' | 60-100 Str. |
| 60 | Rosa rugotida | A Qual. Wurzelecht |
| 6 | Rosa (P) Satina | A Qual. we C1.5 |
| 736 | Rosa (H) Scarlet Meidiland | A Qual. we C1.5 |
| 80 | Rosa (H) Schneekönigin | A Qual. we C1.5 |
| 1589 | Rosa (H) 'Schneekoppe' | A Qual. Wurzelecht |
| 432 | Rosa (H) 'Schneekoppe' | A Qual. we C1.5 |
| 6 | Rosa (F) Schneewittchen | A Qual. |
| 485 | Rosa (H) 'Sea Foam' | A Qual. we C1.5 |
| 745 | Rosa Solero | A Qual. |
| 1093 | Rosa (H) Sommerwind | A Qual. we C1.5 |
| 217 | Rosa pimpinellifolia | 40-60 Str. |
| 137 | Rosa pimpinellifolia | 60-100 Str. |
| 113 | Rosa pimpinellifolia | 60-100 Str. |
| 1163 | Rosa (H) Stadt Rom | A Qual. we C1.5 |
| 75 | Rosa (H) 'Stanwell Perpetual' | A Qual. |
| 966 | Rosa Strandperle Amrum | A Qual. we C1.5 |
| 1565 | Rosa (H) Sunny Rose | A Qual. |
| 873 | Rosa (H) Swany | A Qual. we C1.5 |
| 734 | Rosa (P) 'The Fairy' | A Qual. Wurzelecht |
| 219 | Rosa (P) 'The Fairy' | P13 |
| 11 | Rosa (F) Topolina | A Qual. we C1.5 |
| 2242 | Rosa (M) 'White Fairy' | A Qual. we C1.5 |
| 9 | Rosa (H) White Meidiland | A Qual. we C1.5 |
| 1573 | Rosa (R) White Roadrunner | A Qual. we C1.5 |
| 48 | Rosa (P) Yellow Fairy | A Qual. we C1.5 |
| 39 | Rubus cockburnianus | 200-250 Co20 3 Stab |
| 40 | Rubus frut. 'Black Satin' | 175-200 Co20 3 Stab |
| 25 | Rubus frut. 'Thornless Evergreen' | 175-200 Co20 3 Stab |
| 15 | Rubus idaeus 'Malling Promise' | 175-200 Co20 3 Stab |
| 25 | Rubus phoenicolasius | 175-200 Co20 3 Stab |
| 32 | Rubus thibetanus 'Silver Fern' | 175-200 Co20 3 Stab |
| 6 | Salix helvetica | 40-60 Co2 |
| 1305 | Sambucus nigra | 30-50 2 Tr. |
| 784 | Sambucus nigra | 40-60 Str. |
| 214 | Sambucus nigra | 60-100 Str. |
| 380 | Sambucus nigra | 60-100 Str. |
| 866 | Sambucus nigra | 100-150 Str. |
| 1 | Sambucus nigra | 175-200 Co20 |
| 37 | Sambucus nigra Black Lace | 60-80 Co12 |
| 7 | Sambucus nigra Black Lace | 80-100 Co12 |

| | | |
|------|-------------------------------------|----------------------|
| 18 | Sciadopitys verticillata | 50-60 Co20 |
| 6 | Shepherdia argentea | 175-200 Co20 |
| 10 | Solanum jasmin. 'Album' | 200-250 Co20 3 Stab |
| 116 | Solanum jasminoides | 200-250 Co20 3 Stab |
| 1 | Sorbus aucuparia | 100-125 Solitaer |
| 1 | Sorbus aucuparia | 125-150 Solitaer |
| 1 | Sorbus aucuparia | 175-200 Solitaer |
| 8 | Sorbus 'Dodong' | 175-200 Co130 |
| 240 | Spiraea arguta | 40-60 Str. |
| 1070 | Spiraea arguta | 40-60 4 Tr. |
| 863 | Spiraea arguta | 60-100 4 Tr. |
| 37 | Spiraea arguta | 80-100 Co12 |
| 14 | Spiraea betulifolia 'Tor' | 30-40 Str. |
| 190 | Spiraea cinerea 'Grefsheim' | 40-60 4 Tr. |
| 3140 | Spiraea cinerea 'Grefsheim' | 60-100 4 Tr. |
| 24 | Spiraea cinerea 'Grefsheim' | 125-150 Co20 |
| 18 | Spiraea jap. 'Anthony Waterer' | 30-40 5 Tr. |
| 1332 | Spiraea jap. 'Anthony Waterer' | 40-60 5 Tr. |
| 796 | Spiraea jap. 'Little Princess' | 30-40 4 Tr. |
| 290 | Spiraea nipp. 'Snowmound' | 30-40 4 Tr. |
| 64 | Spiraea nipp. 'Snowmound' | 40-60 4 Tr. |
| 67 | Spiraea nipp. 'Snowmound' | 60-100 4 Tr. |
| 8 | Spiraea nipp. 'Snowmound' | 100-125 Co12 |
| 19 | Spiraea nipp. 'Snowmound' | 125-150 Co12 |
| 88 | Spiraea nipponica | 40-60 4 Tr. |
| 264 | Spiraea nipponica | 60-100 4 Tr. |
| 2 | Spiraea nipponica | 125-150 Co20 |
| 9 | Spiraea salicifolia | Fertigware m.Tb. |
| 1730 | Spiraea thunbergii | 40-60 4 Tr. |
| 37 | Spiraea vanhouttei | 40-60 Str. |
| 213 | Spiraea vanhouttei | 60-100 4 Tr. |
| 176 | Spiraea vanhouttei | 60-100 4 Tr. |
| 7 | Spiraea vanhouttei | 100-125 Co20 |
| 2 | Spiraea vanhouttei | 150-175 Co20 |
| 12 | Staphylea cochica 'Black Jack' | 175-200 Co20 |
| 6 | Stewartia pseudocamellia | 175-200 Co20 |
| 9 | Styphnolobium japonicum | 250-300 Co80 |
| 13 | Styphnolobium japonicum | 300-350 Co80 |
| 9 | Styphnolobium japonicum | 350-400 Co80 |
| 6 | Styrax jap. 'Rubra Pendula' | 175-200 Co35 Heister |
| 15 | Styrax japonicus | 100-125 Co20 |
| 25 | Styrax japonicus | 175-200 Co20 |
| 13 | Styrax japonicus | 200-250 Co35 |
| 11 | Styrax japonicus | 200-250 Co50 |
| 6 | Sycoparrotia semidec. 'Purple Haze' | 100-125 Co20 |
| 25 | Symphoricarpos albus laevigatus | 60-100 Str. |
| 26 | Syringa (V) 'Agnes Smith' | 100-125 Co20 |
| 9 | Syringa chinensis 'Saugeana' | 80-100 Co20 |
| 25 | Syringa chinensis 'Saugeana' | 100-125 Co20 |
| 20 | Syringa Dark Purple | 80-100 Co20 |

| | | |
|------|------------------------------------|------------------|
| 1 | Syringa josikaea | 100-125 Solitaer |
| 17 | Syringa josikaea | 150-175 Solitaer |
| 1 | Syringa josikaea | 150-175 Co20 |
| 23 | Syringa josikaea | 175-200 Solitaer |
| 1 | Syringa josikaea | 200-225 Solitaer |
| 1 | Syringa laciniata | 80-100 Co20 |
| 2 | Syringa meyeri 'Palibin' | 30-40 mB. |
| 8 | Syringa microphylla 'Superba' | 125-150 Co20 |
| 8 | Syringa 'Miss Japan' | 125-150 Co20 |
| 7 | Syringa 'Miss Japan' | 150-175 Co20 |
| 211 | Syringa v. 'Alba' | 40-60 Str. |
| 11 | Syringa v. 'Alba' | 60-80 Solitaer |
| 35 | Syringa v. 'Alba' | 60-100 Str. |
| 35 | Syringa v. 'Alba' | 80-100 Solitaer |
| 2 | Syringa v. 'Alba' | 80-100 Co20 |
| 87 | Syringa v. 'Alba' | 100-125 Solitaer |
| 3 | Syringa v. 'Alba' | 100-125 Co20 |
| 1 | Syringa v. 'Alba' | 100-125 Co90 |
| 151 | Syringa v. 'Alba' | 125-150 Solitaer |
| 1 | Syringa v. 'Alba' | 125-150 Co20 |
| 1 | Syringa v. 'Alba' | 125-150 Co90 |
| 90 | Syringa v. 'Alba' | Jungw. |
| 54 | Syringa v. 'And. an Ludwig Späth' | 125-150 Co50 |
| 16 | Syringa v. 'Mme Lemoine' | 100-125 Co50 |
| 12 | Syringa v. 'Mrs Edward Harding' | 100-125 Co20 |
| 18 | Syringa v. 'Nadezhda' | 125-150 Co50 |
| 87 | Syringa v. 'Paul Deschanel' | 100-125 Co20 |
| 30 | Syringa v. 'Ruhm von Horstenstein' | 100-125 Co50 |
| 65 | Syringa v. 'Ruhm von Horstenstein' | 125-150 Co50 |
| 53 | Syringa v. 'Sensation' | 125-150 Co50 |
| 10 | Syringa v. 'Souv. d'Alice Harding' | 125-150 Co50 |
| 81 | Syringa vulgaris | 40-60 Str. |
| 31 | Syringa vulgaris | 60-80 Solitaer |
| 159 | Syringa vulgaris | 80-100 Solitaer |
| 7 | Syringa vulgaris | 80-100 Co20 |
| 151 | Syringa vulgaris | 100-125 Solitaer |
| 37 | Syringa vulgaris | 100-125 Co20 |
| 1 | Syringa vulgaris | 100-125 Co90 |
| 65 | Syringa vulgaris | 125-150 Solitaer |
| 328 | Syringa vulgaris | Jungw. |
| 43 | Tamarix ramosissima 'Rubra' | 100-125 Co20 |
| 10 | Tamarix tetrandra | 200-250 Co130 |
| 3 | Taxus b. 'Fastigiata Robusta' | 80-100 Co25 |
| 50 | Taxus b. 'Fastigiata Robusta' | 100-125 Co25 |
| 2 | Taxus b. 'Fastigiata Robusta' | 125-150 Co25 |
| 56 | Taxus b. 'Repandens' | 30-40 Co4 |
| 11 | Taxus b. 'Repandens' | 20-25 Co2.5 |
| 398 | Taxus baccata | 30-40 mB. |
| 14 | Taxus baccata | 40-50 Kugel Co20 |
| 1808 | Taxus baccata | 40-60 mB. |

| | | |
|------|------------------------------------|--------------------|
| 8 | Taxus baccata | 50-60 Co5 |
| 1389 | Taxus baccata | 60-80 mB. |
| 250 | Taxus baccata | 60-80 Co12 |
| 133 | Taxus baccata | 80-100 mB. |
| 250 | Taxus baccata | 80-100 Co12 |
| 68 | Taxus baccata | 100-125 mB. |
| 5 | Taxus media 'Hillii' | 30-40 mB. |
| 50 | Taxus media 'Hillii' | 60-80 mDrB. |
| 500 | Taxus media 'Hillii' | 60-80 mB. |
| 19 | Taxus media 'Hillii' | 60-80 Co25 |
| 110 | Taxus media 'Hillii' | 80-100 mDrB. |
| 22 | Taxus media 'Hillii' | 80-100 Co25 |
| 24 | Taxus media 'Hillii' | 100-125 mDrB. |
| 1 | Taxus media 'Hillii' | 100-125 Co20 |
| 46 | Tetradium daniellii | 80-100 Co20 |
| 26 | Tetradium daniellii | 100-125 Co20 |
| 6 | Tetradium daniellii | 300-350 Co50 |
| 10 | Tetradium daniellii | 300-350 Co110 |
| 83 | Tetrapanax papyrifer 'Rex' | Co20 |
| 2 | Thuja occ. 'Brabant' | 200-225 Co20 |
| 12 | Thuja occ. 'Smaragd' | 200-225 Co20 |
| 4 | Thuja occ. 'Smaragd' | 200-225 Co25 |
| 1 | Thuja pl. 'Atrovirens' | 175-200 Co20 |
| 30 | Thuja pl. 'Atrovirens' | 200-225 Co20 |
| 6 | Thujopsis dolabrata | 175-200 Co80 |
| 7 | Tilia cordata 'Winter Orange' | 175-200 Co50 |
| 4 | Trachelospermum jasminoides | 150-175 Co5 1 Stab |
| 33 | Trachelospermum jasminoides | 350-400 Co30 |
| 7 | Tsuga het. 'Thorsen's Weeping' | 175-200 Co35 |
| 18 | Ulmus parvifolia 'Sagei' | 60-80 Co20 |
| 6 | Ulmus parvifolia 'Sagei' | 150-175 Co50 |
| 7 | Ulmus parvifolia 'Sagei' | 175-200 Co50 |
| 76 | Vaccinium myrtillus | Fertigware m.Tb. |
| 72 | Viburnum burkwoodii | 100-125 Co20 |
| 10 | Viburnum burkwoodii | 150-175 Co20 |
| 6 | Viburnum carlcephalum | 175-200 Co110 |
| 1 | Viburnum lantana | 60-100 4 Tr. |
| 255 | Viburnum lantana | 100-150 5 Tr. |
| 17 | Viburnum lantana | 150-175 Co20 |
| 711 | Viburnum opulus | 40-60 Str. |
| 56 | Viburnum opulus | 60-100 4 Tr. |
| 12 | Viburnum opulus | 60-100 4 Tr. |
| 101 | Viburnum opulus | 100-150 5 Tr. |
| 1 | Viburnum opulus | 150-175 Co20 |
| 16 | Viburnum plic. 'Grandiflorum' | 125-150 Co50 |
| 139 | Viburnum plic. 'Mariesii' | 60-80 Co20 Breit |
| 6 | Viburnum plic. 'Mariesii Gr. Star' | 80-100 Co20 |
| 21 | Viburnum plic. 'Mariesii Gr. Star' | 100-125 Co20 |
| 16 | Viburnum plic. 'St Keverne' | 125-150 Co20 |
| 26 | Viburnum plic. 'St Keverne' | 150-175 Co20 |

| | | |
|-----|---------------------------------|---------------------|
| 12 | Viburnum plic. 'Tennessee' | 150-175 Co20 |
| 12 | Viburnum plic. 'Tennessee' | 175-200 Co20 |
| 2 | Viburnum rhytidophyllum | 40-60 Co20 |
| 10 | Viburnum rhytidophyllum | 60-80 mB. |
| 32 | Vitis 'Amandin' | 200-250 Co20 3 Stab |
| 663 | Weigela 'Bristol Ruby' | 60-100 Str. |
| 808 | Weigela 'Bristol Ruby' | 60-100 4 Tr. |
| 22 | Weigela 'Bristol Ruby' | 100-150 5 Tr. |
| 1 | Weigela 'Bristol Ruby' | 150-175 Co20 |
| 61 | Weigela 'Bristol Ruby' | 200-225 Co20 |
| 10 | Weigela florida 'Victoria' | 100-125 Co20 |
| 24 | Weigela 'Rosea' | 60-100 Str. |
| 317 | Weigela 'Rosea' | 60-100 4 Tr. |
| 272 | Weigela 'Rosea' | 100-150 5 Tr. |
| 45 | Wisteria brach. 'Okayama' | 250-300 Co20 1 stab |
| 27 | Wisteria sinensis 'Prolific' | 250-300 Co20 1 stab |
| 30 | Yucca filamentosa | 60-80 Co20 |
| 32 | Yucca filamentosa 'Bright Edge' | 40-50 Co35 |
| 31 | Yucca filamentosa 'Color Guard' | 50-60 Co35 |
| 16 | Yucca flaccida 'Golden Sword' | 40-50 Co20 |
| 6 | Yucca glauca | 50-60 Co35 |
| 15 | Yucca rigida 'Blue Sentry' | 60-80 Co20 |
| 10 | Yucca treculeana | 60-80 Co35 |
| 10 | Yucca treculeana | 80-100 Co35 |
| 8 | Zanthoxylum americanum | 175-200 Co20 |
| 6 | Zanthoxylum simulans | 175-200 Co20 |
| 39 | Zanthoxylum simulans | 300-350 Co80 |
| 23 | Zelkova serrata | 125-150 Co20 |
| 35 | Zelkova serrata | 150-175 Co20 |
| 40 | Zelkova serrata | 175-200 Co20 |
| 11 | Zelkova serrata | 200-250 Co110 |
| 7 | Zelkova serrata | 250-300 Co130 |